## **LOAD TEST REPORT**

DATE: 7/24/2014

TEST FROM: VIRGINIA

**Query URL:** http://wp-kinsta.reviewsignal.com/ **Started at:** Thu Jul 24 2014, 12:33:12 -04:00 **Finished at:** Thu Jul 24 2014, 12:33:12 -04:00

## **ANALYSIS**

This rush generated **55,011** successful hits in **60 seconds** and we transferred **544.99 MB** of data in and out of your app. The average hit rate of **917/second** translates to about **79,215,840** hits/day.

The average response time was 69 ms.

You've got bigger problems, though: **0.06%** of the users during this **rush** experienced timeouts or errors!

RESPONSE TIMES	TEST CONFIGURATION	OTHER STATS
FASTEST: <b>68</b> ms	REGION: VIRGINIA	AVG. HITS: <b>917</b> /sec
SLOWEST: <b>70</b> ms	DURATION: <b>60</b> seconds	DATA TRANSFERED:
AVERAGE: <b>69</b> ms	LOAD: <b>1-2000</b> users	<b>544.99</b> мв



## HITS

This rush generated **55,011** successful hits. The number of hits includes all the responses listed below. For example, if you only want **HTTP 200 OK** responses to count as Hits, then you can specify **--status 200** in your rush.

CODE	TYPE	DESCRIPTION	AMOUNT
200	HTTP	OK	55011



## **ERRORS**

The first error happened at **50 seconds** into the test when the number of concurrent users was at **1666**. Errors are usually caused by resource exhaustion issues, like running out of file descriptors or the connection pool size being too small (for SQL databases).


CODE	TYPE	DESCRIPTION	AMOUNT
23	TCP	Connection timeout	32



CONNECTION TIMEOUT 100% (32)








STEP 1

-O-Response Times

The max response time was: 69 ms @ 1832 users



The max hit rate was: 1,804 hits per second